


Category A / Categoría A

Habo



S8E
Ecu
Crudo

S8F
Light Grey
Gris Claro

S8H
Anthracite Grey
Gris Antracita

S8K
Brown
Marrón



100% PL gr/m² 330
Martindale 46.000 cicli/rubs - EN ISO 12947-2

Bedford




S7J
Sand
Arena

S7K
Taupe
Tórtola

S7L
Brown
Marrón

S7M
Black
Negro

S7N
Brick Red
Rojo Ladrillo



S7P
Burgundy
Burdeos

S7Q
Midnight Blue
Azul Noche

S7R
Forest Green
Verde Bosque

SLY
Salt White
Sal Blanco

SLZ
Mud Brown
Tierra



100%PL gr/m² 570
Martindale 35.000 cicli/rubs
EN ISO 5470-2 Met.1

Category A / Categoría A

Luxor



T5A
Hemp
Cáñamo



T5B
Ecu
Crudo



T5C
Sand
Arena



T5D
Cappuccino
Capuchino



T5E
Brown
Marrón



T5F
Amber
Ámbar



T5G
Dark Orange
Naranja Oscuro



T5H
Light Grey
Gris Claro



T5J
Dark Grey
Gris Oscuro



100%PL gr/m² 365
Martindale >50.000 cicli/rubs - EN ISO 5470-2 Met.1

Venice 

S0F
Sand
Arena



S0G
Soil brown
Tierra



S0H
Forest green
Verde bosque



S0J
Ocean blue
Océano



S0K
Brick red
Rojo ladrillo



S0L
Ash grey
Ceniza



S0U
Pink
Rosa



S0Y
Black
Negro




S0Z
Hemp
Cáñamo




SVX
Ice
Hielo



SVY
Beige
Beige



SVZ
Green
Verde



SWA
Light grey
Gris claro



SWB
Mustard yellow
Mostaza



SWC
pale pink
Rosa palo



SWD
Amber
Ámbar



SWE
Blue
Azul



100% PL gr/m² 430
Martindale >100.000 cicli/rubs - EN ISO 12947-2

Category B / Categoría B

Anouk

100% PL gr/m² 520
Martindale 50.000 cicli/rubs - EN ISO 12947-2



T3Q Sand Arena	T3R Taupe Tórtola	T3S Soil Brown Tierra	T3T Anthracite Grey Gris Antracita	T3U White Blanco	T3V Grey Gris	T3W Rust Brown Óxido

Aspen

90% PL - 10% CO gr/m² 430
Martindale 60.000 cicli/rubs - EN ISO 12947-2



T2G Hemp Cáñamo	T2H Sand Arena	T2J Taupe Tórtola	T2K Green Verde	T2L Anthracite Grey Gris Antracita	T2M Camel Brown Color Camello	T2N Grey Gris

Cloud

T4J Hemp Cáñamo	T4K Sand Arena	T4L Ecu Crudo	T4M Taupe Tórtola
T4N Camel Brown Color Camello	T4P Old Rose Rosa Viejo	T4Q Blue Azul	T4R Anthracite Grey Gris Antracita

95%PL - 5% CO gr/m² 560
Martindale >55.000 cicli/rubs - EN ISO 5470-2 Met.1



Category B / Categoría B

Queen



T4S
Hemp
Cáñamo



T4T
Sand
Arena



T4U
Ecu
Crudo



T4V
Taupe
Tórtola



T4W
Anthracite Grey
Gris Antracita



T4X
Old Rose
Rosa Viejo



T4Y
Calcite Blue
Azul Calcita



T4Z
Petrol Green
Verde Petróleo



100% PL gr/m² 562
Martindale >100.000 cicli/rubs - EN ISO 5470-2 Met.1

Sally



T3X
White
Blanco



T3Y
Sand
Arena



T3Z
Grey
Gris



T4A
Anthracite Grey
Gris Antracita



T4B
Brown
Marrón



T4C
Brick Red
Rojo Ladrillo



T4D
Green
Verde

100% PL gr/m² 536
Martindale 35.000 cicli/rubs - EN ISO 12947-2



Voss



S9F
White
Blanco




S9G
Sand
Arena



S9H
Grey
Gris



S9J
Black
Negro



S9K
Ice Blue
Azul Hielo



S9L
Forest Green
Verde Bosque

100% PL gr/m² 410
Martindale 60.000 cicli/rubs - EN ISO 12947-2



Category C / Categoría C

Kalix



S8P
Ecu
Crudo

S8Q
Sand
Arena

S8R
Brown
Marrón

S8S
grey
Gris



54% PC - 46% PL gr/m² 440
Martindale 40.000 cicli/rubs - EN ISO 12947-2

Nobel




T5K
Hemp
Cañamo

T5L
Ecu
Crudo

T5M
Taupe
Tórtola

T5N
Dark Brown
Marrón Oscuro

T5P
Burnt Sienna
Tierra Quemada



T5Q
Caramel
Caramelo

T5R
Deep Blue
Azul Profundo

T5S
Forest Green
Verde Bosque


T5T
Grey
Gris




100%PL gr/m² 400
Martindale >100.000 cicli/rubs - EN ISO 5470-2 Met.1

Category D / Categoría D


Boemian




T2T
Sand
Arena



T2U
Taupe
Tórtola



T2V
Brown
Marrón



T2W
Grey
Gris




T2X
Anthracite Grey
Gris Antracita



T2Y
Blue
Azul



T2Z
Green
Verde



T3A
Yellow
Amarillo



51% Recycled Olefin - 27% PL - 22% PC gr/m² 550
Martindale 45.000 cicli/rubs - EN ISO 12947-2

Tailor




T6D
Hemp
Cáñamo




T6E
Sand
Arena



T6F
Stone Grey
Piedra



T6G
Taupe
Tórtola



T6H
Burnt Sienna
Tierra Quemada



T6J
Brown
Marrón



T6K
Pine Green
Verde Pino



T6L
Midnight Blue
Azul Noche




T6M
Smoke Grey
Gris Humo



97%PL - 3% LI gr/m² 678
Martindale >100.000 cicli/rubs - EN ISO 5470-2 Met.1

Category E / Categoría E

Bouclé



SLV
Hemp
Cáñamo

SLW
Anthracite grey
Antracita

SLX
Taupe
Tórtola

SSQ
Brick red
Rojo ladrillo



37% PL - 21% PC - 19% VI - 14% CO - 8% LI - 1% PA gr/m² 522
Martindale 40.000 cicli/rubs - EN ISO 12947-2

Paris



SQM
Cream
Vainilla

SQN
Beige
Beige

SQP
Brown
Marrón

SQQ
Light grey
Gris claro



SQR
Taupe
Tórtola

SQS
Anthracite grey
Gris antracita

SQT
Burgundy
Burdeos

SQU
Blue
Azul



47% PC - 22% PL - 20% CO - 11% VI gr/m² 714
Martindale 40.000 cicli/rubs - EN ISO 12947-2

Savoy



T5U
White
Blanco

T5V
Hemp
Cáñamo

T5W
Ecu
Crudo

T5X
Sand
Arena

T5Y
Taupe
Tórtola



T5Z
Cappuccino
Capuchino

T6A
Amber
Ámbar

T6B
Caramel
Caramelo

T6C
Grey
Gris



75% CO - 25% PL gr/m² 671
Martindale >40.000 cicli/rubs - EN ISO 5470-2 Met.1

Category E / Categoría E

NOTE Only available on decorative throw pillows and MIES DTZCOT1 - DTZCOT2 - DTZCOT3 roll pillow
NOTA Disponibles sólo para las fundas de los cojines decorativos y el rulo MIES DTZCOT1 - DTZCOT2 - DTZCOT3


Balloon



T6U
Natur
Natur



T6V
Biscotto
Biscotto



T6W
Rust brown
Óxido



22% JU - 27% CORIG - 23% PC - 28% PES gr/m² 710
 Martindale 25.000 cicli/rubs - EN ISO 12947-1/2

Nuage



T6R
Hemp
Cáñamo



T6S
Moka mousse
Moka mousse



100% PL gr/m² 895
 Martindale 40.000 cicli/rubs - EN ISO 12947-2

Peonie



T6N
Hemp
Cáñamo



T6P
Burnt Sienna
Tierra quemada



T6Q
Forest green
Verde bosque




59% PC - 35% PL - 5% WO - 1% VI gr/m² 522
 Martindale 25.000 cicli/rubs - EN ISO 12947-2


Pigalle



SQV
Beige
Beige



SQW
Anthracite grey
Antracita



SQY
Burgundy
Burdeos



36% CO - 32% PL - 26% PC - 6% VI gr/m² 643
 Martindale 25.000 cicli/rubs - EN ISO 12947-2

Vellus



T6T
Hemp
Cáñamo



100% PES gr/m² 522
 Martindale 100.000 cicli/rubs - EN ISO 12947-1/2

Category F / Categoría F

Esprit soft leather

Calligaris uses leather which comes from the finest part of the European ox skin (the core) cut in different thicknesses depending on the requests and then tanned. The external finish is obtained by using water based colours.

Piel Esprit

La piel utilizada por Calligaris se obtiene de la parte mas noble de las pieles (la flor) de bovino europeo cortado en espesor variable según la exigencia y sometido a curtido. El acabado externo es obtenido con pigmentación a base de agua.

						
470 Coffee Café	683 Black Negro	705 Optic white Blanco óptico	D04 Taupe Tórtola	L01 Antelope brown Antilope	L08 Cream Vainilla	L16 Grey Gris
						
L17 Sand Arena	L18 Malt Malta	L19 Cognac Coñac	L20 Burgundy Burdeos	L21 Forest green Verde bosque		

Category H / Categoría H

Emotion leather

Natural half-grain cowhide, finished thickness of 1.2 - 1.4 mm. Through dyed; finishing with resins and pigments. Article with a soft, waxy feel and semi-matt appearance.

Piel Emotion

Piel bovina medio flor natural de espesor terminado 1,2 - 1,4 mm. Tintura pasante; definición con pigmentos y resinas. Artículo con mano suave, tacto ceroso y aspecto semiopaco.



L1X
Dash



L1A
Zinc



L4W
Lamb



L4X
Cinder



L5C
Turtledove



L5G
Graystone



L5F
Grey



L5E
Iron



L5H
Grayshadow



L5J
Black Ink



L1Y
Marble




L1B
Penicillin



L1C
Papyrus



L1M
Clay



L1J
Caffellatte



L1L
Buckskin



L1N
Avana



L1P
Tan



L3J
Antilop



L3N
Ciocco



L3Q
Ebony



L3K
Acajou



L1U
Hezelnut



L1S
Swamp



L3E
Jasper



L3D
Volcano



L2M
Claw



L2J
Carioca



L3B
Dune



L3C
Pottery



L3A
Aubergine



L2W
Phonebox



L2V
Siam



L2U
Parrot



L2P
Begonia

Category H / Categoría H

						
L3X Birch	L3W Camouflage	L3U Terragon	L3S Lime	L3T Moud	L4F Bottle	L4C Ottanio
						
L4E Cedar Green	L4A Oxide	L4N Plaster	L4M Deep	L4L Indigo	L4J Pacific	L4S Santorini
						
L4Y Ciment						

All Calligaris S.p.A. packages contain "Technical Details" of the Product in accordance with the Italian regulation D.L. 206 / 2005 of the Consumer's Code and nr. 101 of article "Rules for procedures" dated 08 February 1997.
This price list is made for illustrative purposes. Calligaris S.p.A. declines all responsibilities for finishes of employed materials that do not match perfectly these samples. Characteristics and sizes of all articles can vary without notice and are not binding for Calligaris S.p.A..

The distinctive marks and trademarks contained in this price list are validly registered and are the sole property of Calligaris S.p.a..

The retailer is called to use the promotional and advertising material supplied by Calligaris S.p.a. in a proper manner, without damaging in any way the distinctive marks and trademarks contained therein.

Todos los embalajes de los productos Calligaris S.p.A. llevan al interior la "ficha producto" avalada según disposiciones del Dec Leg n.206 / 2005 "CODIGO DEL CONSUMO" y del decreto del 08 de Febrero, 1997, regla nº 101. "Regolamento d'attuazione".
La presente tarifa de precios es al simple fin ilustrativo. Calligaris S.p.A. rechaza cada posible responsabilidad sobre la no conformidad de los colores en los acabados de los materiales empleados. Además las características y medidas de todos los artículos pueden variar sin advertencia previa y no implican algún compromiso para Calligaris S.p.A..

Las marcas y los signos distintivos indicados en esta lista de precios han sido registrados de manera válida y son propiedad exclusiva de Calligaris S.p.a.. El revendedor se compromete a utilizar correctamente el material promocional y publicitario que Calligaris S.p.a. ha proporcionado sin perjudicar en absoluto las marcas y los signos distintivos allí contenidos.